

UCO[®] FLOW 210

Universal, strongly alkaline, non-foaming CIP cleaner

Definition

UCO[®]FLOW 210 is a strong alkaline CIP cleaner based on NaOH, suitable for the entire food industry.

Properties

UCO[®]FLOW 210 has been specially formulated for cleaning throughout the food industry where foaming is undesirable.

UCO[®]FLOW 210 has been specially formulated for cleaning storage tanks, pipes, and CIP installations.

UCO[®]FLOW 210 is particularly suitable for use in soft water. When used in hard water, it is advisable to periodically use acidic CIP cleaning.

Use

Dosage: 0.5 - 2% (depending on the degree of contamination) at a temperature of 40-80°C.

Contact time: 10-30 min.

Rinse with clean water.

Specifications

Physical state	Liquid
Color	Colorless
pH	13-14
Density	1.3 kg/L
Solubility	Completely soluble in water

Storage & Disposal

Store in a dry, cool, and well-ventilated place (5-30 °C).

Store only in the original packaging. Do not open the packaging if not in use. Opened packaging must be carefully sealed and stored upright to prevent leakage.

Dispose of empty packaging in accordance with local or national guidelines.

Safety instructions

Avoid contact between acidic and alkaline products. Never mix with chlorine-containing products!

Always test the compatibility of the product on a small surface.

Contact your UCO[®]Group representative for a customized cleaning and disinfection plan tailored to your company's needs.

Before use, please consult the safety data sheet for this product.